



1 fm 2/16/09
PATENT

Attorney Docket No.: FUSI-04101

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:) Group Art Unit: 2162
David L. Multer et al.)
Serial No.: 09/491,675) Examiner: Alam, Shahid Al
Filed: January 26, 2000)
For: **DATA TRANSFER AND**
SYNCHRONIZATION SYSTEM) **TRANSMITTAL LETTER**
) 162 N. Wolfe Road
) Sunnyvale, CA 94086
) (408) 530-9700
) Customer No. 28960
)


Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

A supplemental Information Disclosure Statement and a Form PTO-1449, including copies of thirty-one (31) foreign patent references and six (6) non-patent references cited therein, are enclosed for filing in the U.S. Patent and Trademark Office. A check for \$180.00 is enclosed for the filing fee.

The Commissioner is hereby authorized to charge any additional fee or credit overpayment to our Deposit Account No. 08-1275.

Respectfully submitted,
HAVERSTOCK & OWENS LLP

By: 
Thomas B. Haverstock
Reg. No.: 32, 571

Dated: 6-23-09

Attorneys for Applicants

CERTIFICATE OF MAILING (37 CFR§ 1.8(a))
I hereby certify that this paper (being this application referred to as
being attached or enclosed hereto) was deposited with the U.S.
Postal Service on the date shown below, sufficient
postage as first class mail in an envelope addressed to the:
Commissioner for Patents, P.O. Box 1450 Alexandria, VA
22313-1450

HAVERSTOCK & OWENS LLP.

Date: 6/23/09 By: LS



PATENT
Attorney Docket No.: FUSI-04101

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:) Group Art Unit: 2162
David L. Multer et al.)
Serial No.: 09/491,675) Examiner: Alam, Shahid Al
Filed: January 26, 2000)
For: **DATA TRANSFER AND**
SYNCHRONIZATION SYSTEM) **SUPPLEMENTAL INFORMATION**
) **DISCLOSURE STATEMENT**
) 162 N. Wolfe Road
) Sunnyvale, CA 94086
) (408) 530-9700
) Customer No.: 28960
)

MS: Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

The citations listed below may be material to the examination of the above-identified application and are therefore submitted in compliance with the duty of disclosure defined in 37 C.F.R. §§ 1.56 and 1.97. The Examiner is requested to make these citations of official record in this application.

Applicants have become aware of the following printed publications which may be material to the examination of this application:

- U.S. Patent No.: 4887212;
- U.S. Patent No.: 5111398;
- U.S. Patent No.: 5146221
- U.S. Patent No.: 5329619;
- U.S. Patent No.: 5392390;
- U.S. Patent No.: 5418854;
- U.S. Patent No.: 5418908;
- U.S. Patent No.: 5483352;
- U.S. Patent No.: 5485161;
- U.S. Patent No.: 5519433 06/26/2009 MBELETE1 00000014 09491675
- U.S. Patent No.: 5519606; 01 FC:1806 180.00 OP
- U.S. Patent No.: 5543789;
- U.S. Patent No.: 5544061;
- U.S. Patent No.: 5561446;

- U.S. Patent No.: 5574906;
- U.S. Patent No.: 5588009;
- U.S. Patent No.: 5623406
- U.S. Patent No.: 5628005;
- U.S. Patent No.: 5630081;
- U.S. Patent No.: 5640577;
- U.S. Patent No.: 5666553;
- U.S. Patent No.: 5682524;
- U.S. Patent No.: 5684990;
- U.S. Patent No.: 5694596
- U.S. Patent No.: 5699255;
- U.S. Patent No.: 5701423;
- U.S. Patent No.: 5706509;
- U.S. Patent No.: 5710922;
- U.S. Patent No.: 5727202;
- U.S. Patent No.: 5727950;
- U.S. Patent No.: 5729739;
- U.S. Patent No.: 5729743;
- U.S. Patent No.: 5742792
- U.S. Patent No.: 5745906;
- U.S. Patent No.: 5757920;
- U.S. Patent No.: 5758355;
- U.S. Patent No.: 5764899;
- U.S. Patent No.: 5768597
- U.S. Patent No.: 5771354;
- U.S. Patent No.: 5778346;
- U.S. Patent No.: 5778361;
- U.S. Patent No.: 5778367;
- U.S. Patent No.: 5781901;
- U.S. Patent No.: 5787247
- U.S. Patent No.: 5787262;
- U.S. Patent No.: 5794228;

- U.S. Patent No.: 5804803;
- U.S. Patent No.: 5809497;
- U.S. Patent No.: 5812773;
- U.S. Patent No.: 5812793
- U.S. Patent No.: 5818437;
- U.S. Patent No.: 5826245;
- U.S. Patent No.: 5832489;
- U.S. Patent No.: 5859973;
- U.S. Patent No.: 5884323;
- U.S. Patent No.: 5884325;
- U.S. Patent No.: 5893119
- U.S. Patent No.: 5896321;
- U.S. Patent No.: 5897640;
- U.S. Patent No.: 5903723;
- U.S. Patent No.: 5907793;
- U.S. Patent No.: 5923756;
- U.S. Patent No.: 5923848;
- U.S. Patent No.: 5926816
- U.S. Patent No.: 5933816;
- U.S. Patent No.: 5937405;
- U.S. Patent No.: 5941944;
- U.S. Patent No.: 5943676;
- U.S. Patent No.: 5944787
- U.S. Patent No.: 5946615;
- U.S. Patent No.: 5948066;
- U.S. Patent No.: 5951636;
- U.S. Patent No.: 5961572
- U.S. Patent No.: 5961590;
- U.S. Patent No.: 5968131;
- U.S. Patent No.: 5970149;
- U.S. Patent No.: 5970490;
- U.S. Patent No.: 5971277

- U.S. Patent No.: 5987381;
- U.S. Patent No.: 5987609;
- U.S. Patent No.: 5995118;
- U.S. Patent No.: 6000000;
- U.S. Patent No.: 6006215;
- U.S. Patent No.: 6006274;
- U.S. Patent No.: 6009462;
- U.S. Patent No.: 6012063;
- U.S. Patent No.: 6012088;
- U.S. Patent No.: 6016394;
- U.S. Patent No.: 6016478;
- U.S. Patent No.: 6023708;
- U.S. Patent No.: 6023723;
- U.S. Patent No.: 6044381;
- U.S. Patent No.: 6052735;
- U.S. Patent No.: 6061790;
- U.S. Patent No.: 6061796;
- U.S. Patent No.: 6073133;
- U.S. Patent No.: 6076109;
- U.S. Patent No.: 6078960
- U.S. Patent No.: 6081900;
- U.S. Patent No.: 6094618
- U.S. Patent No.: 6101480;
- U.S. Patent No.: 6108330;
- U.S. Patent No.: 6108703;
- U.S. Patent No.: 6131096
- U.S. Patent No.: 6131116;
- U.S. Patent No.: 6141011;
- U.S. Patent No.: 6141621
- U.S. Patent No.: 6141659;
- U.S. Patent No.: 6141664;
- U.S. Patent No.: 6148260;

PATENT
Attorney Docket No.: FUSI-04101

- U.S. Patent No.: 6151606;
- U.S. Patent No.: 6157630;
- U.S. Patent No.: 6163773
- U.S. Patent No.: 6163779;
- U.S. Patent No.: 6163844;
- U.S. Patent No.: 6167120;
- U.S. Patent No.: 6173310 B1;
- U.S. Patent No.: 6182117 B1;
- U.S. Patent No.: 6182141 B1;
- U.S. Patent No.: 6189030;
- U.S. Patent No.: 6189096;
- U.S. Patent No.: 6195794;
- U.S. Patent No.: 6202085 B1;
- U.S. Patent No.: 6205448 B1;
- U.S. Patent No.: 6212529 B1;
- U.S. Patent No.: 6216131 B1;
- U.S. Patent No.: 6219680 B1;
- U.S. Patent No.: 6219694 B1;
- U.S. Patent No.: 6223187 B1;
- U.S. Patent No.: 6226650 B1;
- U.S. Patent No.: 6233565 B1;
- U.S. Patent No.: 6243760;
- U.S. Patent No.: 6247048 B1;
- U.S. Patent No.: 6247135 B1;
- U.S. Patent No.: 6252547;
- U.S. Patent No.: 6255989;
- U.S. Patent No.: 6275831 B1;
- U.S. Patent No.: 6278941;
- U.S. Patent No.: 6282435;
- U.S. Patent No.: 6285889;
- U.S. Patent No.: 6286053;
- U.S. Patent No.: 6286085 B1;

- U.S. Patent No.: 6292743;
- U.S. Patent No.: 6295502;
- U.S. Patent No.: 6295541 B1;
- U.S. Patent No.: 6304881 B1;
- U.S. Patent No.: 6321236;
- U.S. Patent No.: 6324467;
- U.S. Patent No.: 6324526 B1;
- U.S. Patent No.: 6327533;
- U.S. Patent No.: 6329680 B1;
- U.S. Patent No.: 6330568 B1;
- U.S. Patent No.: 6332158 B1;
- U.S. Patent No.: 6333973;
- U.S. Patent No.: 6338096;
- U.S. Patent No.: 6339710 B1;
- U.S. Patent No.: 6341316 B1;
- U.S. Patent No.: 6345308 B1;
- U.S. Patent No.: 6353448 B1;
- U.S. Patent No.: 6356910;
- U.S. Patent No.: 6360252 B1;
- U.S. Patent No.: 6374250;
- U.S. Patent No.: 6396482 B1;
- U.S. Patent No.: 6397307;
- U.S. Patent No.: 6401104 B1;
- U.S. Patent No.: 6405218 B1;
- U.S. Patent No.: 6418309;
- U.S. Patent No.: 6434627 B1;
- U.S. Patent No.: 6437818 B1;
- U.S. Patent No.: 6460036 B1;
- U.S. Patent No.: 6463464;
- U.S. Patent No.: 6466967;
- U.S. Patent No.: 6473621 B1;
- U.S. Patent No.: 6480896;

- U.S. Patent No.: 6484143 B1;
- U.S. Patent No.: 6487560;
- U.S. Patent No.: 6496944;
- U.S. Patent No.: 6490655 B1;
- U.S. Patent No.: 6499108;
- U.S. Patent No.: 6507891;
- U.S. Patent No.: 6516327;
- U.S. Patent No.: 6523063;
- U.S. Patent No.: 6523079 B2;
- U.S. Patent No.: 6542933 B1;
- U.S. Patent No.: 6546425 B1;
- U.S. Patent No.: 6535743;
- U.S. Patent No.: 6546425 B1;
- U.S. Patent No.: 6549933 B1;
- U.S. Patent No.: 6553375 B1;
- U.S. Patent No.: 6553410 B2;
- U.S. Patent No.: 6567850 B1;
- U.S. Patent No.: 6581065;
- U.S. Patent No.: 6584454;
- U.S. Patent No.: 6589290 B1;
- U.S. Patent No.: 6591266;
- U.S. Patent No.: 6591306 B1;
- U.S. Patent No.: 6597700 B2;
- U.S. Patent No.: 6609005;
- U.S. Patent No.: 6636894;
- U.S. Patent No.: 6643707 B1;
- U.S. Patent No.: 6654746;
- U.S. Patent No.: 6671724 B1;
- U.S. Patent No.: 6671757;
- U.S. Patent No.: 6684302 B2;
- U.S. Patent No.: 6694335;
- U.S. Patent No.: 6694336 B1;

- U.S. Patent No.: 6701316;
- U.S. Patent No.: 6714987;
- U.S. Patent No.: 6725239 B2;
- U.S. Patent No.: 6728530;
- U.S. Patent No.: 6745040 B2;
- U.S. Patent No.: 6757698 B1;
- U.S. Patent No.: 6757712 B1;
- U.S. Patent No.: 6781575;
- U.S. Patent No.: 6795848;
- U.S. Patent No.: 6804783 B1;
- U.S. Patent No.: 6812961;
- U.S. Patent No.: 6816481 B1;
- U.S. Patent No.: 6836765 B1;
- U.S. Patent No.: 6842695;
- U.S. Patent No.: 6868451 B1;
- U.S. Patent No.: 6870921;
- U.S. Patent No.: 6886013;
- U.S. Patent No.: 6892225;
- U.S. Patent No.: 6892245 B1;
- U.S. Patent No.: 6904460;
- U.S. Patent No.: 6920488;
- U.S. Patent No.: 6925476;
- U.S. Patent No.: 6934767;
- U.S. Patent No.: 6944676;
- U.S. Patent No.: 6996631 B1;
- U.S. Patent No.: 7003668;
- U.S. Patent No.: 7023868 B2;
- U.S. Patent No.: 7035878;
- U.S. Patent No.: 7039656;
- U.S. Patent No.: 7116681 B1;
- U.S. Patent No.: 7167728 B1;
- U.S. Patent No.: 7197574 B1;

- U.S. Patent No.: 7249175 B1;
- U.S. Patent No.: 7284051;
- U.S. Patent No.: 7293074;
- U.S. Patent No.: 7356559 B1;
- U.S. Patent No.: 7363233 B1;
- U.S. Patent No.: 7392034;
- U.S. Patent No.: 7415486;
- U.S. Patent No.: 7499888;
- U.S. Patent No.: 7454500;
- U.S. Patent No.: 7505762;
- U.S. Patent No.: 2001-0014893;
- U.S. Patent No.: 2001-0047471;
- U.S. Patent No.: 2001-0051920 A1;
- U.S. Patent No.: 2002-0007303;
- U.S. Patent No.: 2002-0016818 A1;
- U.S. Patent No.: 2002-0016912;
- U.S. Patent No.: 2002-0040369 A1;
- U.S. Patent No.: 2002-0055909 A1;
- U.S. Patent No.: 2002-0056011;
- U.S. Patent No.: 2002-0059116;
- U.S. Patent No.: 2002-0062365 A1;
- U.S. Patent No.: 2002-0073212 A1;
- U.S. Patent No.: 2002-0078075 A1;
- U.S. Patent No.: 2002-0082995 A1;
- U.S. Patent No.: 2002-0083325 A1;
- U.S. Patent No.: 2002-0091785;
- U.S. Patent No.: 2002-0116444;
- U.S. Patent No.: 2002-0120600 A1;
- U.S. Patent No.: 2002-0128908 A1;
- U.S. Patent No.: 2002-0138582 A1;
- U.S. Patent No.: 2003-0028554 A1;
- U.S. Publication No.: 2003-0061163 A1;

- U.S. Publication No.: 2003-0065934 A1;
- U.S. Publication No.: 2003-0084121 A1;
- U.S. Publication No.: 2003-0134625 A1;
- U.S. Publication No.: 2003-0135463 A1;
- U.S. Publication No.: 2003-0139172 A1;
- U.S. Publication No.: 2003-0208546 A1;
- U.S. Publication No.: 2003-0224760 A1;
- U.S. Publication No.: 2003-0233383 A1;
- U.S. Publication No.: 2003-0233383 A1;
- U.S. Publication No.: 2004-0093317 A1;
- U.S. Publication No.: 2004-0093342 A1;
- U.S. Publication No.: 2004-0132428 A1;
- U.S. Publication No.: 2004-0142711 A1;
- U.S. Publication No.: 2004-0162830 A1;
- U.S. Publication No.: 2004-0192260 A1;
- U.S. Publication No.: 2004-0192282 A1;
- U.S. Publication No.: 2004-0193953 A1;
- U.S. Publication No.: 2004-0235523 A1;
- U.S. Publication No.: 2004-0267944 A1;
- U.S. Publication No.: 2005-0021571 A1;
- U.S. Publication No.: 2005-0032527 A1;
- U.S. Publication No.: 2005-0038863 A1;
- U.S. Publication No.: 2005-0044404 A1;
- U.S. Publication No.: 2005-0060392 A1;
- U.S. Publication No.: 2005-0064859 A1;
- U.S. Publication No.: 2005-0086318 A1;
- U.S. Publication No.: 2005-0100150 A1;
- U.S. Publication No.: 2005-0102257 A1;
- U.S. Publication No.: 2005-0102328 A1;
- U.S. Publication No.: 2005-0131990 A1;
- U.S. Publication No.: 2005-0203971 A1;
- U.S. Publication No.: 2005-0204001 A1;
- PCT Publication No.: WO 1997/39564;

- PCT Publication No.: WO 1998/03005;
- PCT Publication No.: WO 1998/29994 A;
- PCT Publication No.: WO 1998/56159 A;
- PCT Publication No.: WO 1999/05813;
- PCT Publication No.: WO 1999/06900;
- PCT Publication No.: WO 1999/36870;
- PCT Publication No.: WO 1999/40514;
- PCT Publication No.: WO 1999/45451;
- PCT Publication No.: WO 1999/45484;
- PCT Publication No.: WO 1999/46701 A;
- PCT Publication No.: WO 1999/50761;
- PCT Publication No.: WO 1999/65256;
- PCT Publication No.: WO 2000/11832;
- PCT Publication No.: WO 2001/71539;
- PCT Publication No.: WO 2001/80535 A1;
- PCT Publication No.: WO 2005/112586 A2;
- China Pub. No.: CN 1202662;
- China Pub. No.: CN 1455522;
- Japan Pub. No.: JP 10191453;
- Europe Pub. No.: EP 0801487 A2;
- Europe Pub. No.: EP 0836131 A2;
- Europe Pub. No.: EP 0836301 A;
- Europe Pub. No.: EP0924917 A2;
- Europe Pub. No.: EP 0930593 A;
- Europe Pub. No.: EP 0986225 A1;
- Europe Pub. No.: EP 1024441 A2;
- Europe Pub. No.: EP 1139608 A2;
- Europe Pub. No.: EP 1263244 A2;
- China Pub. No.: 2003-122958;
- France Pub. No.: 1998-106683;
- Reed, Benjamin C., et al., "Authenticating Network-Attached Storage," IEEE, Jan.-Feb.2000, pgs. 49-57.;


- Gaskin, J.E.:Messaging-Instant Enterprise- Once a Novelty item, IM is Becoming a More Serious Tool For Business Users,” InternetWeek, No 810, 24 April 2000, Pg. 55.;
- BusinessWire, “FusionOne Partners with WhitePages.com to Deliver Automatic Synchronization for Online Subscriber,” press release, 11 October 2000.;
- Malone, et al., “Semi-Structured Messages are Surprisingly Useful for Computer-Supported Coordination’, Proceedings of the Conference on Computer-Supported Cooperative Work, Austin, Texas, December 3-5, 1986, Pages 1-26;
- Patel et al., ”The Multimedia Fax-MIME Gateway,” 8440 IEEE MultiMedia No. 4, January 1994, 7 pgs.; and
- Lamb et al., ”LAN-Based Office for the Enterprise, A Case Study,” Advantis Company, White Plains, NY 10605, January 1994 IEEE, pgs. 440-447.

This Information Disclosure Statement under 37 C.F.R. §§ 1.56 and 1.97 is not to be construed as a representation that a search has been made, that additional information material to the examination of this application does not exist, or that anyone or more of these citations constitutes prior art.

Respectfully submitted,

HAVERSTOCK & OWENS LLP

By:



Thomas B. Haverstock
Reg. No.: 32,571

Attorneys for Applicants

CERTIFICATE OF MAILING (37 CFR 1.8(c))

I hereby certify that this paper (including exhibits referred to as being attached or referred to in this certificate) is being mailed to the U.S. Postal Service on the date of filing, via overnight, first class, overnight postage as first class mail in an envelope addressed to the: Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450

HAVERSTOCK & OWENS LLP.

Date: 6/23/09 By: SA